Canadian Geotechnical Journal

Contents
Volume 42, 2005

Revue canadienne de géotechnique

Sommaire
Volume 42, 2005

February / Février

ARTICLES / ARTICLES

B.C. Hawlader, K.Y. Lo, and I.D. Moore Analysis of tunnels in shaly rock considering three-dimensional stress effects on swelling 1

A.G. Li, Z.Q. Yue, L.G. Tham, C.F. Lee, and K.T. Law Field-monitored variations of soil moisture and matric suction in a saprolite slope 13

Amit Prashant and Dayakar Penumadu A laboratory study of normally consolidated kaolin clay 27

Jean-Marie Konrad Estimation of the segregation potential of fine-grained soils using the frost heave response of two reference soils 38

Ignacio Escuder, Joaquin Andreu, and Manuel Rechea An analysis of stress–strain behaviour and wetting effects on quarried rock shells 51

Jean Côté and Jean-Marie Konrad Thermal conductivity of base-course materials 61

Paul Chiasson Methods of interpretation of borehole falling-head tests performed in compacted clay liners 79

Yung-Mook Na, Victor Choa, Cee-Ing Teh, and Ming-Fang Chang Geotechnical parameters of reclaimed sandfill from the cone penetration test 91

M.A. Shahin, M.B. Jaksa, and H.R. Maier Neural network based stochastic design charts for settlement prediction 110

Giovanni Cascante, John Vanderkooy, and Wilson Chung A new mathematical model for resonant-column measurements including eddy-current effects 121

Branko Ladanyi and Hugo Longtin Short- and long-term sharp cone tests in clay 136

S. Li, Z.Q. Yue, L.G. Tham, C.F. Lee, and S.W. Yan Slope failure in underconsolidated soft soils during the development of a port in Tianjin, China. Part 1: Field investigation 147

S. Li, Z.Q. Yue, L.G. Tham, C.F. Lee, and S.W. Yan Slope failure in underconsolidated soft soils during the development of a port in Tianjin, China. Part 2: Analytical study 166

Sylvie Buteau, Richard Fortier, and Michel Allard Rate-controlled cone penetration tests in permafrost 184

J.-M. Konrad and G. Grondin A practical design approach for reducing the occurrence of shallow slides in cohesionless till highway embankments 198

Mustafa A. Samad and Ernest K. Yanful A design approach for selecting the optimum water cover depth for subaqueous disposal of sulfide mine tailings 207

Aurelian Catalin Trandafir and Kyoji Sassa Seismic triggering of catastrophic failures on shear surfaces in saturated cohesionless soils 229

NOTES / NOTES

Jeff R. Reinson, Delwyn G. Fredlund, and G. Ward Wilson Unsaturated flow in coarse porous media 252

Deepankar Choudhury and K.S. Subba Rao Seismic uplift capacity of inclined strip anchors 263

D.Y. Zhu, C.F. Lee, Q.H. Qian, and G.R. Chen A concise algorithm for computing the factor of safety using the Morgenstern–Price method 272

Anushka Shibchurn, Paul J. Van Geel, and Paula L. Kennedy Impact of density on the hydraulic properties of peat and the time domain reflectometry (TDR) moisture calibration curve 279

Anh-Minh Tang and Yu-Jun Cui Controlling suction by the vapour equilibrium technique at different temperatures and its application in determining the water retention properties of MX80 clay 287

M. Hesham El Naggar and Abdul Ghafar Chehab Vibration barriers for shock-producing equipment 297

© 2005 NRC Canada

Sudhakar M. Rao and P. Shivananda Role of osmotic suction in swelling of salt-amended clays **307**

DISCUSSIONS / DISCUSSIONS

J.J. Crowder and M.W. Grabinsky Discussion of "Assessment of the modified slump test as a measure of the yield stress of high-density thickened tailings" **316**

S.K.Y. Gawu and A.B. Fourie Reply to the discussion by Crowder and Grabinsky on "Assessment of the modified slump test as a measure of the yield stress of high-density thickened tailings" **319**

J.F. (Derick) Nixon and Åke L. Vebo Discussion of "Frost heave and pipeline upheaval buckling" **321**

James M. Oswell, Darren Skibinsky, and Paul Cavanagh Discussion of "Frost heave and pipeline upheaval buckling" **323**

Andrew C. Palmer and Peter J. Williams Reply to the discussions by Nixon and Vebo and Oswell et al. on "Frost heave and pipeline upheaval buckling" **325**

Instructions to Authors **I1**

Recommandations aux auteurs **R1**

April / Avril

ARTICLES / ARTICLES

Benjamin E. Wickland and G. Ward Wilson Self-weight consolidation of mixtures of mine waste rock and tailings **327**

H. Rahardjo, T.T. Lee, E.C. Leong, and R.B. Rezaur Response of a residual soil slope to rainfall **340**

N. Dolzhenko et P. Mathieu Étude expérimentale des phases de creusement d'un tunnel à l'aide d'un modèle réduit bidimensionnel **352**

M. Hesham El Naggar, Mohsen Ali Shayanfar, Mehrdad Kimiaei, and Ali Akbar Aghakouchak Simplified BNWF model for nonlinear seismic response analysis of offshore piles with nonlinear input ground motion analysis **365**

Eduardo E. Alonso and Vicente Navarro Microstructural model for delayed deformation of clay: loading history effects **381**

Alcibíades Serrano, Claudio Olalla, and Jesús Manzanas Stability of highly fractured infinite rock slopes with nonlinear failure criteria and nonassociated flow laws **393**

Lukas U. Arenson and Sarah M. Springman Triaxial constant stress and constant strain rate tests on ice-rich permafrost samples **412**

Lukas U. Arenson and Sarah M. Springman Mathematical descriptions for the behaviour of ice-rich frozen soils at temperatures close to 0 °C **431**

Jean Côté and Jean-Marie Konrad A generalized thermal conductivity model for soils and construction materials **443**

Marika Santagata and John T. Germaine Effect of OCR on sampling disturbance of cohesive soils and evaluation of laboratory reconsolidation procedures **459**

Sadik Oztoprak and S. Feyza Cinicioglu Soil behaviour through field instrumentation **475**

Dae-Sang Kim and Kazuo Konagai Simple approach to obtain ground amplification motion of surface soil deposits with a radical change of depth **491**

P.H. Simms and E.K. Yanful A pore-network model for hydromechanical coupling in unsaturated compacted clayey soils **499**

J.-M. Konrad and N. Lemieux Influence of fines on frost heave characteristics of a well-graded base-course material **515**

J. Chu, M.H. Goi, and T.T. Lim Consolidation of cement-treated sewage sludge using vertical drains **528**

G.L. Sivakumar Babu and Rajaparthy S. Rao Reliability measures for buried flexible pipes **541**

Dharma Wijewickreme, Somasundaram Sriskandakumar, and Peter Byrne Cyclic loading response of loose air-pluviated Fraser River sand for validation of numerical models simulating centrifuge tests **550**

Nainan P. Kurian and V.M. Jayakrishna Devaki Analytical studies on the geotechnical performance of shell foundations **562**

John A. Howie and Ali Amini Numerical simulation of seismic cone signals **574**

Nicolas Pollet, Roger Cojean, Réjean Couture, Jean-Luc Schneider, Alexander L. Strom, Claire Voirin, and Patrick Wassmer A slab-on-slab model for the Flims rockslide (Swiss Alps) **587**

Li Li, Michel Aubertin, Richard Simon, and Bruno Bussière Formulation and application of a general inelastic locus for geomaterials with variable porosity **601**

NOTES / NOTES

In-Mo Lee, Sang-Gyu Sung, and Gye-Chun Cho Effect of stress state on the unsaturated shear strength of a weathered granite **624**

© 2005 NRC Canada

Abidin Kaya and Hsai-Yang Fang Experimental evidence of reduction in attractive and repulsive forces between clay particles permeated with organic liquids **632**

Dieter Stolle and Peijun Guo A practical approach to falling-weight deflectometer (FWD) data reduction **641**

Abbas Soroush and Mohammad Soroush Parameters affecting the thickness of bentonite cake in cutoff wall construction: case study and physical modeling **646**

W.J. McCarter, J. Blewett, T.M. Chrisp, and G. Starrs Electrical property measurements using a modified hydraulic oedometer **655**

Ernesto Ausilio and Enrico Conte Influence of groundwater on the bearing capacity of shallow foundations **663**

Mustafa Fener, Sair Kahraman, Yakup Bay, and Osman Gunaydin Correlations between *P*-wave velocity and Atterberg limits of cohesive soils **673**

Guofu Zhu and Jian-Hua Yin Consolidation of a soil layer subsequent to cessation of deposition **678**

Zamri Chik and Luis E. Vallejo Characterization of the angle of repose of binary granular materials **683**

T.G. Sitharam, S. Sireesh, and Sujit Kumar Dash Model studies of a circular footing supported on geocell-reinforced clay **693**

BOOK REVIEW / CRITIQUE DE LIVRE

D.M. Cruden Debris flow: phenomenology and rheological modelling **704**

June / Juin

ARTICLES / ARTICLES

Robert P. Chapuis Numerical modeling of rising-head permeability tests in monitoring wells after lowering the water level down to the screen **705**

Harry George Poulos and Andrew J. Davids Foundation design for the Emirates Twin Towers, Dubai **716**

Olivier Cuisinier et Farimah Masrouri Influence de sollicitations hydriques et mécaniques complexes sur le comportement d'un sol gonflant compacté **731**

Xilin Lu, Peizhen Li, Bo Chen, and Yueqing Chen Computer simulation of the dynamic layered soil–pile–structure interaction system **742**

R.W.I. Brachman and R.P. Krushelnitzky Response of a landfill drainage pipe buried in a trench **752**

Graeme D. Skinner and R. Kerry Rowe A novel approach to estimating the bearing capacity stability of geosynthetic reinforced retaining walls constructed on yielding foundations **763**

Bożena Pączkowska Electroosmotic introduction of methacrylate polycations to dehydrate clayey soil **780**

Yasuhiko Okada, Kyoji Sassa, and Hiroshi Fukuoka Undrained shear behaviour of sands subjected to large shear displacement and estimation of excess pore-pressure generation from drained ring shear tests **787**

Lakshmi N. Reddi, Ming Xiao, Malay G. Hajra, and In Mo Lee Physical clogging of soil filters under constant flow rate versus constant head **804**

J.L.H. Grozic, S.M.R. Imam, P.K. Robertson, and N.R. Morgenstern Constitutive modeling of gassy sand behaviour **812**

S.M. Reza Imam, Norbert R. Morgenstern, Peter K. Robertson, and David H. Chan A critical-state constitutive model for liquefiable sand **830**

Sheng-Yao Lai, Ping-Sien Lin, Ming-Jyh Hsieh, and Hoi-Fung Jim Regression model for evaluating liquefaction potential by discriminant analysis of the SPT *N* value **856**

M.A. Ismail Performance of cement-stabilized retaining walls **876**

A.B. Fourie and L. Tshabalala Initiation of static liquefaction and the role of K_0 consolidation **892**

Marten Geertsema and J. Kenneth Torrance Quick clay from the Mink Creek landslide near Terrace, British Columbia: Geotechnical properties, mineralogy, and geochemistry **907**

Fumitoshi Imaizumi, Satoshi Tsuchiya, and Okihiro Ohsaka Behaviour of debris flows located in a mountainous torrent on the Ohya landslide, Japan **919**

Richard Martel, Stéfan Foy, Laurent Saumure, Annie Roy, René Lefebvre, René Therrien, Uta Gabriel, and Pierre J. Gélinas Polychlorinated biphenyl (PCB) recovery under a building with an in situ technology using micellar solutions **932**

NOTES / NOTES

Guofu Zhu and Jian-Hua Yin Solution charts for the consolidation of double soil layers **949**

© 2005 NRC Canada

S.K. Haigh, B. Ghosh, S.P.G. Madabhushi Importance of time step discretisation for nonlinear dynamic finite element analysis 957

Sanchai Mitaim and Emmanuel Detournay Determination of ground reaction curve for hyperbolic soil model using the hodograph method 964

DISCUSSIONS / DISCUSSIONS

Gholamreza Mesri Discussion of "Viscous behaviour of St-Roch-de-l'Achigan clay, Quebec" 969

Maria Esther Soares Marques, Serge Leroueil, and Márcio de Souza Soares de Almeida Reply to the discussion by Mesri on "Viscous behaviour of St-Roch-de-l'Achigan clay, Quebec" 971

Renato V. Clementino Discussion of "An oedometer test study on the preconsolidation stress of glaciomarine clays" 972

J.L.H. Grozic, T. Lunne, and S. Pande Reply to the discussion by Clementino on "An oedometer test study on the preconsolidation stress of glaciomarine clays" 975

August / Août

ARTICLES / ARTICLES

M.M. Ahmadi, P.M. Byrne, and R.G. Campanella Cone tip resistance in sand: modeling, verification, and applications 977

Buddhima Indraratna, Cholachat Rujikiatkamjorn, and Iyathurai Sathananthan Analytical and numerical solutions for a single vertical drain including the effects of vacuum preloading 994

Charles W.W. Ng and Gordon T.K. Lee Three-dimensional ground settlements and stress-transfer mechanisms due to open-face tunnelling 1015

D.M. McClung Risk-based definition of zones for land-use planning in snow avalanche terrain 1030

Barry M. Lehane and David J. White Lateral stress changes and shaft friction for model displacement piles in sand 1039

V.P. Drnevich, A.K. Ashmawy, X. Yu, and A.M. Sallam Time domain reflectometry for water content and density of soils: study of soil-dependent calibration constants 1053

Kianoosh Hatami and Richard J. Bathurst Development and verification of a numerical model for the analysis of geosynthetic-reinforced soil segmental walls under working stress conditions 1066

L.M. Zhang, D.Q. Li, and Wilson H. Tang Reliability of bored pile foundations considering bias in failure criteria 1086

S.-W. Yan and J. Chu Soil improvement for a storage yard using the combined vacuum and fill preloading method 1094

O. Meric, S. Garambois, D. Jongmans, M. Wathelet, J.L Chatelain, and J.M. Vengeon Application of geophysical methods for the investigation of the large gravitational mass movement of Séchilienne, France 1105

A.J. Cooke, R.K. Rowe, and B.E. Rittmann Modelling species fate and porous media effects for landfill leachate flow 1116

Robert P. Chapuis, Djaouida Chenaf, Nelson Acevedo, Denis Marcotte, and Michel Chouteau Unusual drawdown curves for a pumping test in an unconfined aquifer at Lachenaie, Quebec: field data and numerical modeling 1133

T. Iryo and R.K. Rowe Infiltration into an embankment reinforced by nonwoven geotextiles 1145

Manuel Melis Maynar and Luis Medina Rodriguez Predicted versus measured soil movements induced by shield tunnelling in the Madrid Metro extension 1160

Reagan McIsaac and R. Kerry Rowe Change in leachate chemistry and porosity as leachate permeates through tire shreds and gravel 1173

NOTES / NOTES

S.K. Carey, S.L. Barbour, and M.J. Hendry Evaporation from a waste-rock surface, Key Lake, Saskatchewan 1189

Y. Wang and C.W.W. Ng Effects of stress paths on the small-strain stiffness of completely decomposed granite 1200

Robert P. Chapuis, Véronique Dallaire, Denis Marcotte, Michel Chouteau, Nelson Acevedo, and Francis Gagnon Evaluating the hydraulic conductivity at three different scales within an unconfined sand aquifer at Lachenaie, Quebec 1212

Rolf Larsson and Helen Åhnberg On the evaluation of undrained shear strength and preconsolidation pressure from common field tests in clay 1221

Y.M. Cheng and S.K. Au Solution of the bearing capacity problem by the slip line method 1232

October / Octobre

ARTICLES / ARTICLES

Zhong W. Wang, Charles W.W. Ng, and Guo B. Liu Characteristics of wall deflections and ground surface settlements in Shanghai 1243

© 2005 NRC Canada

Venanzio R. Greco Active earth thrust by backfills subject to a line surcharge **1255**

Yung-Shan Hong, Rong-Her Chen, Cho-Sen Wu, and Jian-Ren Chen Shaking table tests and stability analysis of steep nailed slopes **1264**

A. Kaya and Y. Yukselen Zeta potential of clay minerals and quartz contaminated by heavy metals **1280**

Grant Ferguson and Allan D. Woodbury Thermal sustainability of groundwater-source cooling in Winnipeg, Manitoba **1290**

M.M. Ahmadi and P.K. Robertson Thin-layer effects on the CPT q_c measurement **1302**

Ruiping Guo, Jason Martino, and David Dixon Fully coupled thermohydraulic modelling of the sealing bulkheads and adjacent rock in a full-scale underground test **1318**

Buddhima Indraratna, Cholachat Rujikiatkamjorn, and Iyathurai Sathananthan Radial consolidation of clay using compressibility indices and varying horizontal permeability **1330**

D.Y. Zhu, C.F. Lee, D.H. Chan, and H.D. Jiang Evaluation of the stability of anchor-reinforced slopes **1342**

Brendan C. O'Kelly Consolidation properties of a dewatered municipal sewage sludge **1350**

R. Kerry Rowe and T. Iryo Effect of geosynthetics on the hydraulic performance of leak-detection systems **1359**

Matthew D. Alexander and Kerry T.B. MacQuarrie The measurement of groundwater temperature in shallow piezometers and standpipes **1377**

Elisabeth T. Bowman and Kenichi Soga Mechanisms of setup of displacement piles in sand: laboratory creep tests **1391**

Dharma Wijewickreme, Maria V. Sanin, and Graham R. Greenaway Cyclic shear response of fine-grained mine tailings **1408**

Gordon A. Fenton, D.V. Griffiths, and W. Cavers Resistance factors for settlement design **1422**

Scott McDougall and Oldrich Hungr Dynamic modelling of entrainment in rapid landslides **1437**

S. Škrabl and B. Macuh Upper-bound solutions of three-dimensional passive earth pressures **1449**

B.D. Smerdon, C.A. Mendoza, and A.M. McCann Quantitative investigations of the hydraulic connection between a large reservoir and a buried valley aquifer in southern Alberta **1461**

NOTES / NOTES

Jyant Kumar and Priyanka Ghosh Bearing capacity factor N_γ for ring footings using the method of characteristics **1474**

Su-Hyung Lee and Choong-Ki Chung An experimental study of the interaction of vertically loaded pile groups in sand **1485**

December / Décembre

ARTICLES / ARTICLES

Emilio E. Saldivar and Richard J. Jardine Application of an effective stress design method to concrete piles driven in Mexico City clay **1495**

Inge Meilani, Harianto Rahardjo, and Eng-Choon Leong Pore-water pressure and water volume change of an unsaturated soil under infiltration conditions **1509**

A. Azizian and R. Popescu Finite element simulation of seismically induced retrogressive failure of submarine slopes **1532**

Hung Q. Pham, Delwyn G. Fredlund, and S. Lee Barbour A study of hysteresis models for soil-water characteristic curves **1548**

Antônio Thomé, Maciel Donato, Nilo Cesar Consoli, and James Graham Circular footings on a cemented layer above weak foundation soil **1569**

J.H. Shin, D.M. Potts, and L. Zdravkovic The effect of pore-water pressure on NATM tunnel linings in decomposed granite soil **1585**

A.J. Cooke, R.K. Rowe, J. VanGulck, and B.E. Rittmann Application of the BioClog model for landfill leachate clogging of gravel-packed columns **1600**

Björn Weeks and G. Ward Wilson Variations in moisture content for a soil cover over a 10 year period **1615**

Piernicola Lollino, Federica Cotecchia, Lidija Zdravkovic, and David M. Potts Numerical analysis and monitoring of Pappadai dam **1631**

Tang-Tat Ng Behavior of gravity deposited granular material under different stress paths **1644**

Daniel Dias et Richard Kastner Modélisation numérique de l'apport du renforcement par boulonnage du front de taille des tunnels **1656**

Sean D. Hinchberger and R. Kerry Rowe Evaluation of the predictive ability of two elastic-viscoplastic constitutive models **1675**

© 2005 NRC Canada

NOTES / NOTES

Tahirou Assane Oumarou and Erman Evgin Cyclic behaviour of a sand – steel plate interface **1695**

Li Li, Michel Aubertin, and Tikou Belem Formulation of a three dimensional analytical solution to evaluate stresses in backfilled vertical narrow openings **1705**

COMMENT / COMMENTAIRE

J.B. Burland and A. Federico Comment on "Use of the ranking distance as an index for assessing the accuracy and precision of equations for the bearing capacity of piles and at-rest earth pressure coefficient" **1718**

T.L.L. Orr and C. Cherubini Response to the comment by Burland and Federico on: "Use of the ranking distance as an index for assessing the accuracy and precision of equations for the bearing capacity of piles and at-rest earth pressure coefficient" **1720**

BOOK REVIEW / CRITIQUE DE LIVRE

D.M. Cruden Debris-flow hazards and related phenomena **1723**

Author index for Volume 42 / Index des auteurs pour le volume 42 **AI-1**

Contents for Volume 42 / Sommaire pour le volume 42 **C-1**

© 2005 NRC Canada